

CORRECTION

Open Access



Correction: Structural control of the graben fault on hydrothermal alteration in the Cerro Pabellón geothermal system (Andean Cordillera, Northern Chile)

J. Vidal^{1*} , P. Patrier², D. Beaufort², S. Maza¹, G. Rivera³, G. Volpi³ and D. Morata¹

The original article can be found online at <https://doi.org/10.1186/s40517-023-00260-8>.

*Correspondence:
jeannevidal@ing.uchile.cl

¹ Department of Geology and Andean Geothermal Center of Excellence (CEGA), Faculty of Physical and Mathematical Sciences, University of Chile, Plaza Ercilla 803, Santiago, Chile

² University of Poitiers, CNRS UMR7285, IC2MP, HydrASA, Bat B8, Rue Albert Turpain, TSA51106, 86073 Poitiers Cedex 9, France

³ ENEL Green Power Chile and Andean Countries, Av., Santa Rosa 76, Santiago, Chile

Correction: *Geothermal Energy* (2023) 11:18

<https://doi.org/10.1186/s40517-023-00260-8>

In the original publication (Vidal et al. 2023), the text “western” should have read “eastern” throughout the article. The original article has been corrected.

Published online: 30 August 2023

Reference

Vidal J, Patrier P, Beaufort D, Maza S, Rivera G, Volpi G, Morata D. Structural control of the graben fault on hydrothermal alteration in the Cerro Pabellón geothermal system (Andean Cordillera, Northern Chile). *Geotherm Energy*. 2023;11:18. <https://doi.org/10.1186/s40517-023-00260-8>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.